


Stainless Steel Wire Mesh



Required parameter

- a: Material
- b: Wire Diameter
- c: Mesh
- d: Weaving Method: plain weave, twill weave, plain dutch weave, twilled dutch weave, reverse weave, five heddle weave
- e: Width
- f: Length
- g: Package



Size Marking of Stainless Steel Wire Mesh

Tel: 0086-13730521599

300000 Square meter stock available.

Email: sales@china-wiremesh.cn




Fast Delivery.

Quality Promised


Mesh Diagram

In this example:


The piece of wire mesh is five mesh.
(1" = 25.4 mm)



Weaving Method:




Plain weave



Plain dutch weave



Twill weave



Twilled dutch weave

Tel: 0086-13730521599

300000 Square meter stock available.

Email: sales@china-wiremesh.cn

Fast Delivery.

Quality Promised



Stainless Steel Woven Wire Cloth

ISO 9001-2015 & SGS CERTIFICATED COMPANY



Introduction for Woven Wire cloth

- Materials: 302, 304, 304L, 316, 316L, 321, 309S, 430, Monel 400, Brass, Copper, Hastelloy, Inconel, nickel etc
- Wire diameter from 20 μ m to 2mm
- Mesh opening from 3 μ m to 12.7 mm
- Maximum width 6 meter
- Edges: cut, bent, welded, folded

Finishing:

- Degreasing solvent and detergent
- Passivation treatment
- Electrolytic Polishing
- Annealing
- Thermo-lacquering
- Epoxy Coated
- PVC coated

Processing:

- Cutting: slitting, shearing, punching press with punch from $\varnothing 3$ to $\varnothing 500$ mm
- Forming: stamping, bending, folding, rolling, lamination...

Tel: **0086-13730521599**

300000 Square meter stock available.

Email: **sales@china-wiremesh.cn**

Fast Delivery.

Quality Promised



Stainless Steel Woven Wire Cloth

ISO 9001-2015 & SGS CERTIFICATED COMPANY



Materials for Woven Wirecloth

Typical Composition (%) - Key Elements, nominal values

For general guidance only, actual compositions will vary within standard norms

300 Series Stainless Steels - for high performance in general commercial and industrial applications

	Ni	Cr	Cu	Mo	Other	Werkstoff no. (trade name)	Similar UNS	Density kg/m ³
304	8-12	17-20				1.4301	S30400 X5CrNi 18-10	7800
304L	8-12	17-20			C 0.030 max	1.4306	S30403 X2CrNi 19-11	7800
316	10-14	16-18.5		2-3		1.4401	S31600 X5CrNiMo 17-12-2	7800
316L	8-12	17-20			C 0.030 max	1.4404	S31603 X2CrNiMo 17-12-2	7800
321	9-12	17-19			Ti	1.4541	S32100 X10CrNiTi 18-10	7800

Specialized Stainless Steels and Nickel Based Alloys - for advanced performance in high integrity applications

	Ni	Cr	Cu	Mo	Other	Werkstoff no. (trade name)	Similar UNS	Density kg/m ³
310/314	19-22	24-26				1.4841	S31400/S31000 X15CrNiSi 25-20	7800
904L	24-26	19-21	1.2-2	4-5		1.4539	N08904 X1NiCrMoCu 25-20-5	7800
Alloy 20	32-34	19-21	3-4	2-3	Nb+Ta	2.4660 (20 CB-3**)	N08020 NiCr20CuMo	8055
Alloy 400	63		28-34			2.4360 (Monel 400*)	N04400 NiCu30Fe	8880
Alloy 600	72	14-17				2.4816 (Inconel 600*)	N06600 NiCr15Fe	8470
Alloy 601	58-63	21-25			Al 1.0-1.7	2.4851 (Inconel 601*)	N06601 NiCr23Fe	8470
Alloy 625	58	20-23			Al, Ti, Co, Nb	2.4856 (Inconel 625*)	N06625 NiCr22Mo9Nb	8470
Alloy 800	30-35	19-23	0.75		Ti, Al	1.4876 (Incoloy 800*)	N08800 X10NiCrAlTi32-20	7940
Alloy 825	38-46	19.5-23.5	1.5-3	2.5-3.5	Ti 0.6-1.2	2.4858 (Incoloy 825*)	N08825 NiCr21Mo	8140
Alloy C22	56	20-22		12.5-14.5	Co, W, V	2.4602 (Hastelloy C22**)	N06022 NiCr21Mo14W	8690
Alloy C276	55	14.5-16.5		15-17	Co, W, V	2.4819 (Hastelloy C276**)	N10276 NiMo16Cr15W	8740
Alloy DS	34-37	15-17				1.4864 (Incoloy DS*)	N08330 X12NiCrSi36-16	7970
Fecral		21			Al 4.5, Fe	1.4765	CrAl25-5	7300

Nickel & Non-Ferrous

	Ni	Cr	Cu	Mo	Other	Werkstoff no. (trade name)	Similar UNS	Density kg/m ³
Nickel	99					2.4060/2.4066 (Nickel 200*)	N02200	8940
High Grade Nickel	99.9					(Nickel 270*)	N02270	8940
Bronze 94/6			Bal		Sn 6-6.5	CW452K	C51980 CuSn 6	8860
Brass 67/37			62-65		Zn bal	CW508L	C27400 CuZn 37	8480
Brass 70/30			69-70		Zn bal	CW505L	C26000 CuZn 30	8480
Copper			+99			2.0065	C11000 E-Cu	8960

* Trade name of Special Metals

** Trade Name of Haynes Alloys

*** Carpenter Specialty Alloys

Tel: 0086-13730521599

300000 Square meter stock available.

Email: sales@china-wiremesh.cn

Fast Delivery.

Quality Promised

WOVEN WIRE CLOTH | WELDED ROLLS | WELDED GRID | CRIMPED GRID | SPOOL WIRE



STAINLESS STEEL WIRE MESH SPECIFICATIONS

1. PLAIN / TWILL WEAVE

Weave	Mesh Nos.	Wire Dia (mm)	Opening (mm)	Open Area(%)	Opening(μm)	Weight (m ²)	Opening check	Opening Analysis report	Stock (*)
Plain	2	2.03	10.67	70.6	10687	3.96	Caliper	/	
Plain	2	1.6	11.10	76.4	11119	2.46	Caliper	/	✓
Plain	2	1.37	11.33	79.6	11348	1.81	Caliper	/	
Plain	3	2.03	6.43	57.6	6438	5.95	Caliper	/	
Plain	3	1.83	6.63	61.3	6641	4.82	Caliper	/	
Plain	3	1.6	6.86	65.6	6870	3.69	Caliper	/	
Plain	3	1.37	7.09	70.1	7099	2.71	Caliper	/	
Plain	3	1.19	7.26	73.6	7277	2.05	Caliper	/	✓
Plain	3	1.04	7.42	76.7	7438	1.56	Caliper	/	✓
Plain	4	3.05	3.30	27	3308	17.84	Caliper	/	
Plain	4	2.67	3.68	33.6	3690	13.66	Caliper	/	
Plain	4	2.34	4.01	39.9	4020	10.48	Caliper	/	
Plain	4	2.03	4.32	46.2	4326	7.93	Caliper	/	
Plain	4	1.83	0.45	50.7	4521	6.42	Caliper	/	
Plain	4	1.6	4.75	56	4758	4.92	Caliper	/	✓
Plain	4	1.37	4.98	61.5	4987	3.61	Caliper	/	
Plain	4	1.19	5.16	65.9	5165	2.74	Caliper	/	✓
Plain	4	1.04	5.31	69.9	5318	2.08	Caliper	/	✓
Plain	4	0.89	5.46	74	5471	1.52	Caliper	/	✓
Plain	4	0.81	5.54	76	5547	1.27	Caliper	/	✓
Plain	4	0.71	5.64	78.9	5649	0.97	Caliper	/	✓
Plain	4	0.64	5.72	81	5725	0.77	Caliper	/	
Plain	5	1.6	3.48	46.9	3486	6.15	Caliper	/	
Plain	5	1.37	3.71	53.3	3715	4.52	Caliper	/	
Plain	5	1.19	3.89	58.5	3893	3.42	Caliper	/	
Plain	5	1.04	4.04	63.2	4046	2.6	Caliper	/	✓
Plain	5	0.89	4.19	68.1	4198	1.9	Caliper	/	✓
Plain	5	0.81	4.27	70.6	4275	1.59	Caliper	/	
Plain	6	1.6	2.64	38.9	2646	7.37	Caliper	/	
Plain	6	1.37	2.87	46	2875	5.42	Caliper	/	
Plain	6	1.19	3.05	51.8	3053	4.1	Caliper	/	✓

Tel: 0086-13730521599

Email: sales@china-wiremesh.cn

300000 Square meter stock available.

Fast Delivery.

Quality Promised



Stainless Steel Woven Wire Cloth

ISO 9001-2015 & SGS CERTIFICATED COMPANY



Plain	6	1.04	3.20	57.2	3206	3.12	Caliper	/	✓
Plain	6	0.89	3.35	62.7	3359	2.28	Caliper	/	✓
Plain	6	0.81	3.43	65.6	3435	1.9	Caliper	/	✓
Plain	6	0.71	3.53	69.6	3537	1.46	Caliper	/	✓
Plain	7	0.89	2.74	57.2	2748	2.66	Caliper	/	✓
Plain	7	0.81	2.82	60.4	2824	2.22	Caliper	/	✓
Plain	7	0.71	2.92	64.8	2926	1.7	Caliper	/	✓
Plain	8	1.6	1.57	24.6	1578	9.83	Caliper	/	
Plain	8	1.37	1.80	32.3	1807	7.22	Caliper	/	
Plain	8	1.19	1.98	38.9	1985	5.47	Caliper	/	
Plain	8	1.04	2.13	45.2	2137	4.16	Caliper	/	✓
Plain	8	0.89	2.29	51.8	2290	3.03	Caliper	/	✓
Plain	8	0.81	2.36	55.4	2366	2.54	Caliper	/	✓
Plain	8	0.71	2.46	60.2	2468	1.94	Caliper	/	✓
Plain	8	0.64	2.54	64	2545	1.55	Caliper	/	
Plain	9	1.04	1.78	39.7	1781	4.69	Caliper	/	
Plain	9	0.89	1.93	46.8	1934	3.41	Caliper	/	
Plain	9	0.81	2.01	50.6	2010	2.85	Caliper	/	✓
Plain	9	0.71	2.11	55.8	2112	2.19	Caliper	/	
Plain	9	0.64	2.18	59.9	2188	1.74	Caliper	/	
Plain	9	0.58	2.24	62.7	2239	1.47	Caliper	/	✓
Plain	10	1.19	1.35	28.1	1349	6.84	Caliper	/	
Plain	10	1.04	1.50	34.8	1501	5.21	Caliper	/	
Plain	10	0.89	1.65	42.3	1654	3.79	Caliper	/	✓
Plain	10	0.81	1.73	46.2	1730	3.17	Caliper	/	✓
Plain	10	0.71	1.83	51.8	1832	2.43	Caliper	/	✓
Plain	10	0.64	1.91	56.3	1908	1.94	Caliper	/	✓
Plain	10	0.58	1.96	59.3	1959	1.64	Caliper	/	✓
Plain	10	0.51	2.03	64	2036	1.24	Caliper	/	✓
Plain	11	0.81	1.50	42.1	1501	3.49	Caliper	/	✓
Plain	11	0.71	1.60	48	1603	2.67	Caliper	/	✓
Plain	11	0.64	1.68	52.7	1679	2.13	Caliper	/	✓
Plain	11	0.58	1.73	56	1730	1.8	Caliper	/	✓
Plain	11	0.51	1.80	61	1807	1.36	Caliper	/	✓
Plain	11	0.46	1.85	64.5	1857	1.1	Caliper	/	✓
Plain	12	0.81	1.30	37.5	1298	3.81	Camera	✓	✓
Plain	12	0.71	1.40	43.6	1399	2.91	Camera	✓	✓
Plain	12	0.64	1.47	48.4	1476	2.32	Caliper	/	✓
Plain	12	0.58	1.52	51.8	1527	1.97	Caliper	/	✓

Tel: 0086-13730521599

Email: sales@china-wiremesh.cn

300000 Square meter stock available.

Fast Delivery.

Quality Promised



Stainless Steel Woven Wire Cloth

ISO 9001-2015 & SGS CERTIFICATED COMPANY



Plain	12	0.51	1.60	57.2	1603	1.49	Caliper	/	✓
Plain	12	0.46	1.65	60.8	1654	1.2	Caliper	/	✓
Plain	14	0.71	1.09	36.2	1094	3.4	Camera	✓	✓
Plain	14	0.64	1.17	41.5	1170	2.71	Camera	✓	✓
Plain	14	0.58	1.22	45.2	1221	2.29	Camera	✓	✓
Plain	14	0.51	1.30	51	1298	1.73	Camera	✓	✓
Plain	14	0.46	1.35	55.1	1349	1.4	Camera	✓	✓
Plain	14	0.43	1.37	57.2	1374	1.25	Camera	✓	✓
Plain	14	0.23	1.57	76.4	1578	0.35	Camera	✓	✓
Plain	16	0.71	0.88	30.5	878	3.88	Camera	✓	✓
Plain	16	0.64	0.95	36	954	3.1	Camera	✓	✓
Plain	16	0.58	1.00	39.9	1005	2.62	Camera	✓	✓
Plain	16	0.51	1.08	46.2	1081	1.98	Camera	✓	✓
Plain	16	0.46	1.13	50.7	1132	1.61	Camera	✓	✓
Plain	16	0.41	1.18	55.4	1183	1.27	Camera	✓	✓
Plain	16	0.23	1.36	73.3	1361	0.4	Camera	✓	✓
Plain	18	0.64	0.78	30.3	779	3.48	Camera	✓	
Plain	18	0.58	0.83	34.4	830	2.95	Camera	✓	
Plain	18	0.51	0.90	41.1	906	2.23	Camera	✓	✓
Plain	18	0.46	0.96	45.8	957	1.81	Camera	✓	✓
Plain	18	0.43	0.98	48.3	982	1.61	Camera	✓	✓
Plain	18	0.41	1.01	50.8	1008	1.43	Camera	✓	✓
Plain	18	0.38	1.03	53.4	1033	1.25	Camera	✓	✓
Plain	18	0.36	1.06	56.1	1059	1.09	Camera	✓	✓
Plain	18	0.34	1.07	57.4	1071	1.02	Camera	✓	✓
Plain	18	0.23	1.18	70.2	1186	0.45	Camera	✓	✓
Plain	20	0.58	0.69	29.2	687	3.28	Camera	✓	✓
Plain	20	0.51	0.76	36	763	2.48	Camera	✓	✓
Plain	20	0.46	0.81	41	814	2.01	Camera	✓	✓
Plain	20	0.43	0.84	43.6	840	1.79	Camera	✓	✓
Plain	20	0.41	0.86	46.2	865	1.59	Camera	✓	✓
Plain	20	0.38	0.89	49	891	1.39	Camera	✓	✓
Plain	20	0.36	0.91	51.8	916	1.21	Camera	✓	✓
Plain	20	0.33	0.94	54.8	941	1.05	Camera	✓	✓
Plain	20	0.23	1.04	67.2	1043	0.5	Camera	✓	✓
Plain	22	0.41	0.75	42.1	751	1.74	Camera	✓	
Plain	22	0.38	0.77	45	776	1.53	Camera	✓	
Plain	22	0.34	0.80	48	802	1.24	Camera	✓	
Plain	22	0.19	0.97	69.7	967	0.38	Camera	✓	✓

Tel: 0086-13730521599

Email: sales@china-wiremesh.cn

300000 Square meter stock available.

Fast Delivery.

Quality Promised



Stainless Steel Woven Wire Cloth

ISO 9001-2015 & SGS CERTIFICATED COMPANY



Plain	24	0.43	0.63	35.1	628	2.15	Camera	✓	✓
Plain	24	0.41	0.65	38	654	1.9	Camera	✓	✓
Plain	24	0.38	0.68	41.1	679	1.67	Camera	✓	
Plain	24	0.36	0.70	44.2	705	1.46	Camera	✓	✓
Plain	24	0.33	0.73	47.4	730	1.26	Camera	✓	✓
Plain	24	0.3	0.75	50.8	756	1.07	Camera	✓	✓
Plain	24	0.28	0.78	54.3	781	0.9	Camera	✓	✓
Plain	24	0.25	0.81	57.9	807	0.74	Camera	✓	✓
Plain	24	0.19	0.87	67.2	870	0.42	Camera	✓	✓
Plain	26	0.33	0.65	44	649	1.36	Camera	✓	
Plain	26	0.3	0.67	47.5	674	1.16	Camera	✓	✓
Plain	26	0.28	0.70	51.1	700	0.97	Camera	✓	
Plain	26	0.25	0.72	54.9	725	0.81	Camera	✓	✓
Plain	26	0.24	0.75	56.9	751	0.73	Camera	✓	
Plain	26	0.19	0.79	64.8	789	0.45	Camera	✓	
Plain	28	0.34	0.56	38.6	565	1.58	Camera	✓	✓
Plain	28	0.33	0.58	40.4	578	1.47	Camera	✓	
Plain	28	0.3	0.60	44	603	1.25	Camera	✓	✓
Plain	28	0.28	0.63	47.8	628	1.05	Camera	✓	✓
Plain	28	0.25	0.65	51.8	654	0.87	Camera	✓	✓
Plain	28	0.24	0.67	53.8	667	0.78	Camera	✓	
Plain	28	0.23	0.68	55.9	679	0.7	Camera	✓	
Plain	28	0.19	0.72	62.4	718	0.49	Camera	✓	
twill	30	0.43	0.41	23.9	415	2.68	Camera	✓	✓
Plain	30	0.41	0.44	26.9	440	2.38	Camera	✓	✓
Plain	30	0.38	0.46	30.1	466	2.09	Camera	✓	
Plain	30	0.36	0.49	33.5	491	1.82	Camera	✓	✓
Plain	30	0.34	0.50	35.3	504	1.69	Camera	✓	
Plain	30	0.33	0.52	37.1	517	1.57	Camera	✓	✓
Plain	30	0.3	0.54	40.8	542	1.34	Camera	✓	✓
Plain	30	0.28	0.57	44.8	567	1.12	Camera	✓	✓
Plain	30	0.25	0.59	48.9	593	0.93	Camera	✓	✓
Plain	30	0.24	0.60	51	606	0.84	Camera	✓	✓
Plain	30	0.23	0.62	53.1	618	0.75	Camera	✓	✓
Plain	30	0.22	0.63	55.4	631	0.67	Camera	✓	✓
Plain	30	0.17	0.68	64.8	682	0.39	Camera	✓	✓
Plain	32	0.41	0.39	24	389	2.54	Camera	✓	
Plain	32	0.38	0.41	27.2	415	2.23	Camera	✓	
Plain	32	0.36	0.44	30.6	440	1.94	Camera	✓	

Tel: 0086-13730521599

Email: sales@china-wiremesh.cn

300000 Square meter stock available.

Fast Delivery.

Quality Promised



Stainless Steel Woven Wire Cloth

ISO 9001-2015 & SGS CERTIFICATED COMPANY



Plain	32	0.34	0.45	32.4	453	1.81	Camera	✓	
Plain	32	0.33	0.46	34.3	466	1.67	Camera	✓	
Plain	32	0.3	0.49	38.1	491	1.43	Camera	✓	✓
Plain	32	0.28	0.52	42.2	517	1.2	Camera	✓	
Plain	32	0.25	0.54	46.5	542	0.99	Camera	✓	
Plain	32	0.24	0.55	48.7	555	0.89	Camera	✓	
Plain	32	0.23	0.57	50.9	567	0.8	Camera	✓	
Plain	32	0.22	0.58	53.2	580	0.72	Camera	✓	
Plain	32	0.02	0.59	55.6	593	0.01	Camera	✓	
Plain	32	0.17	0.63	62.7	631	0.42	Camera	✓	
Plain	34	0.23	0.52	48.1	519	0.85	Camera	✓	
Plain	34	0.17	0.58	60.7	583	0.44	Camera	✓	
Plain	35	0.33	0.40	29.8	397	1.83	Camera	✓	
Plain	35	0.3	0.42	33.8	422	1.56	Camera	✓	
Plain	35	0.28	0.45	37.9	448	1.31	Camera	✓	✓
Plain	35	0.25	0.47	42.4	473	1.08	Camera	✓	✓
Plain	36	0.17	0.54	58.7	542	0.47	Camera	✓	✓
Plain	36	0.23	0.48	45.8	478	0.9	Camera	✓	
Plain	38	0.28	0.39	33.8	389	1.42	Camera	✓	
Plain	38	0.25	0.41	38.4	415	1.18	Camera	✓	✓
Plain	38	0.24	0.43	40.8	427	1.06	Camera	✓	
Plain	38	0.23	0.44	43.2	440	0.95	Camera	✓	
Plain	38	0.22	0.45	45.8	453	0.85	Camera	✓	
Plain	38	0.2	0.46	48.4	466	0.75	Camera	✓	
Plain	38	0.17	0.50	56.7	504	0.5	Camera	✓	
twill	40	0.3	0.33	27	331	1.78	Camera	✓	✓
Plain	40	0.28	0.36	31.4	356	1.5	Camera	✓	✓
Plain	40	0.25	0.38	36	382	1.24	Camera	✓	✓
Plain	40	0.24	0.39	38.4	394	1.12	Camera	✓	✓
Plain	40	0.23	0.41	41	407	1	Camera	✓	✓
Plain	40	0.22	0.42	43.6	420	0.89	Camera	✓	✓
Plain	40	0.2	0.43	46.2	433	0.79	Camera	✓	✓
Plain	40	0.17	0.47	54.8	471	0.52	Camera	✓	✓
Plain	42	0.25	0.35	33.6	351	1.3	Camera	✓	
Plain	42	0.24	0.36	36.1	364	1.17	Camera	✓	
Plain	42	0.23	0.38	38.6	377	1.05	Camera	✓	
Plain	42	0.14	0.46	59.1	466	0.39	Camera	✓	
Plain	44	0.14	0.44	57.4	438	0.41	Camera	✓	✓
Plain	45	0.2	0.36	40.8	361	0.89	Camera	✓	

Tel: 0086-13730521599

Email: sales@china-wiremesh.cn

300000 Square meter stock available.

Fast Delivery.

Quality Promised



Stainless Steel Woven Wire Cloth

ISO 9001-2015 & SGS CERTIFICATED COMPANY



Plain	46	0.14	0.41	55.8	412	0.43	Camera	✓	
Plain	48	0.14	0.39	54.2	389	0.45	Camera	✓	✓
twill	50	0.23	0.28	30.3	280	1.25	Camera	✓	✓
twill	50	0.22	0.29	33.1	293	1.12	Camera	✓	✓
Plain	50	0.2	0.30	36	305	0.99	Camera	✓	✓
Plain	50	0.19	0.32	39.1	318	0.87	Camera	✓	✓
Plain	50	0.14	0.37	52.6	369	0.47	Camera	✓	✓
Plain	52	0.14	0.35	51	349	0.49	Camera	✓	
Plain	54	0.14	0.33	49.4	331	0.51	Camera	✓	
Plain	55	0.18	0.28	37.9	285	0.83	Camera	✓	
Plain	58	0.11	0.32	54.6	323	0.36	Camera	✓	
twill	60	0.28	0.14	11.7	145	2.25	Camera	✓	
twill	60	0.25	0.17	16.2	170	1.86	Camera	✓	
Plain	60	0.19	0.23	30.5	234	1.05	Camera	✓	✓
Plain	60	0.18	0.25	33.9	247	0.91	Camera	✓	✓
Plain	60	0.17	0.26	37.5	260	0.79	Camera	✓	✓
Plain	60	0.15	0.27	41.2	272	0.67	Camera	✓	✓
Plain	60	0.11	0.31	53.3	310	0.38	Camera	✓	✓
Plain	62	0.11	0.29	51.7	295	0.39	Camera	✓	
Plain	64	0.11	0.28	50.7	282	0.4	Camera	✓	
twill	70	0.17	0.20	29.8	198	0.92	Camera	✓	✓
Plain	70	0.09	0.41	54.9	407	0.3	Camera	✓	
Plain	72	0.09	0.26	53.8	260	0.31	Camera	✓	
Plain	74	0.09	0.23	52.7	229	0.31	Camera	✓	
Plain	76	0.09	0.24	51.7	242	0.32	Camera	✓	
Plain	78	0.09	0.23	50.6	232	0.33	Camera	✓	
twill	80	0.18	0.14	19.4	140	1.21	Camera	✓	
Plain	80	0.14	0.18	31.4	178	0.75	Camera	✓	✓
Plain	80	0.13	0.19	36	191	0.62	Camera	✓	✓
Plain	80	0.09	0.22	49.6	224	0.34	Camera	✓	✓
Plain	84	0.09	0.21	49.8	214	0.32	Camera	✓	
Plain	88	0.09	0.20	47.9	201	0.33	Camera	✓	
Plain	90	0.09	0.19	47.8	193	0.34	Camera	✓	✓
Plain	94	0.09	0.18	45.4	181	0.36	Camera	✓	
Plain	100	0.11	0.14	30.3	140	0.63	Camera	✓	✓
Plain	100	0.1	0.15	36	153	0.5	Camera	✓	✓
Plain	105	0.08	0.17	46.9	165	0.29	Camera	✓	✓
Plain	120	0.09	0.12	30.7	117	0.51	Camera	✓	✓
Plain	120	0.07	0.15	47.3	148	0.25	Camera	✓	✓

Tel: 0086-13730521599

Email: sales@china-wiremesh.cn

300000 Square meter stock available.

Fast Delivery.

Quality Promised



Stainless Steel Woven Wire Cloth

ISO 9001-2015 & SGS CERTIFICATED COMPANY



Plain	135	0.06	0.13	47.4	130	0.22	Camera	✓	
Plain	145	0.06	0.12	46.4	120	0.22	Camera	✓	
Plain	150	0.07	0.10	37.4	104	0.31	Camera	✓	✓
Plain	165	0.05	0.11	47.1	107	0.18	Camera	✓	✓
twill	180	0.06	0.08	34.7	84	0.29	Camera	✓	✓
twill	200	0.06	0.07	29.1	69	0.33	Camera	✓	✓
Plain/twill	200	0.05	0.07	33.6	74	0.27	Camera	✓	✓
Plain/twill	200	0.04	0.09	46.2	87	0.16	Camera	✓	✓
Plain	230	0.04	0.07	46	74	0.14	Camera	✓	✓
Plain/twill	250	0.04	0.06	36	61	0.2	Camera	✓	✓
twill	270	0.04	0.05	32.2	53	0.21	Mesh Scale	✓	✓
Plain/twill	300	0.03	0.05	29.7	46	0.13	Mesh Scale	/	✓
twill	325	0.04	0.04	30	43	0.2	Mesh Scale	/	✓
twill	400	0.03	0.04	31.4	36	0.15	Mesh Scale	/	✓
twill	500	0.03	0.03	25	25	0.15	Mesh Scale	/	✓
twill	635	0.02		25	20	0.13	Mesh Scale	/	✓

Stock status-----it doesn't mean all raw material and width size. Normally it's 304 1mtr and 1.22mtr

Tel: 0086-13730521599

300000 Square meter stock available.

Email: sales@china-wiremesh.cn

Fast Delivery.

Quality Promised



Stainless Steel Woven Wire Cloth

ISO 9001-2015 & SGS CERTIFICATED COMPANY



2. PLAIN DUTCH WEAVE

Mesh (warp x weft)	Wire Dia. (In.)	Absolute Filtration Fineness (μm)	Nominal Filtration Fineness (μm)
8 X 85	.014 x .0126	318-340	250-255
12 X 64	.024 x .0165	270-285	200-205
14 X 88	.020 x .013	225-245	150-155
20 X 150	.0098 x .007	155-165	100-105
24 X 110	.015 x .010	115-125	80-85
30 X 150	.009 x .007	95-100	65-70
40 X 200	.007 x .0055	65-70	55-60
50 X 250	.0055 x .0045	55-60	40-45
80 X 400	.0049 x .0028	43-48	35-40

3. TWILL DUTCH WEAVE

Mesh (warp x weft)	Wire Dia. (In.)	Absolute Filtration Fineness (μm)	Nominal Filtration Fineness (μm)
20 X 250	.0098 x .0079	110-120	98-105
30 X 360	.0098 x .0060	90-100	80-84
40 X 560	.0070 x .0040	70-75	47-52
120 X 400	.0040 x .0025	50-55	37-43
120 X 160	.0040 x .0025	40-45	28-32
80 X 700	.0040 x .0030	35-40	24-26
200 X 600	.0024 x .0018	28-32	19-21
165 X 800	.0028 x .0020	24-26	14-16
165 X 1400	.0028 x .0016	16-18	9-11
200 X 1400	.0028 x .0016	12-14	5-6
250 X 1400	.0022 x .0016	11-12	3-4
325 X 2300	.0015 x .0010	8-9	2-3

Tel: 0086-13730521599

Email: sales@china-wiremesh.cn

300000 Square meter stock available.

Fast Delivery.

Quality Promised